

RESEARCH PUBLICATIONS

Papers Published

- Asthana, A.K.L. & Sah, M.P. 2007. Landslides and cloudburst in the Mandakini basin of Garhwal Himalaya. *Him. Geol.*, **28**(2), 59-67.
- Azmi, R.J. & Joshi, D. 2007. Comment on paper "A Neoproterozoic geomagnetic field reversal from the Kurnool Group, India: implications for stratigraphic correlation and formation of Gondwana" by M.R. Goutham *et al.*, *Jour. Geol. Soc. India*, 2006, **67**(2), 221-233. *Jour. Geol. Soc. India*, **70**(5), 876-878.
- Bajpai, S., Das, D.P., Kapur, V.V. Tiwari, B.N. & Srivastava, S.S. 2007. Early Eocene rodents (Mammalia) from Vastan Lignite Mine, Gujarat, Western India. *Geol. Mag.* **22**(2), 91-95.
- Banerjee, Paramesh, Pollitz, F. & Burgmann, R. 2007. Coseismic slip distribution of the 26 December 2004 Sumatra-Andaman and 28 March 2005 Nias earthquakes from GPS static offsets. *Bull. Seism. Soc. Am.*, **97**, No.1A, pp.S1-S, doi: 10.1785/0120050609.
- Bartarya, S.K., Mazari, R.K. & Viridi, N.S. 2007. Bhimgoda slide of August 24, 1994 in the Siwalik rocks near Haridwar : a success story of landslide control measures. In: Varma, O.P., Mahajan, A.K. & Gupta, Vikram (eds), *Natural Hazards*. Spl. Publ. Indian Geological Congress, 155-167.
- Brook, G.A., Marais, E., Srivastava, P. & Jordan, T. 2007. Timing of lake-level changes in Etosha Pan, Namibia, since the middle Holocene from OSL ages of relict shorelines in the Okondeka region. *Quaternary International*, **175**, 29-40.
- Chabak, S.K. & Sharma, P.K. 2007. Numerical Simulation of coupled wave Equations. *Int. Review of Pure and Applied Mathematics*, **3**(1), 81-91.
- Chakrapani, G., Mahanta, C., Routh, J., Magnus, Morth & Khanna, P.P. 2008. Coupling between seismic activity and hydrogeochemistry at the Shillong Plateau, Northeastern India. *Pure and Applied Geophysics*, **165**(1), 45-61.
- Charu, C. Pant & Paul, A. 2007. Recent trends in seismicity of Uttaranchal. *Jour. Geol. Soc. India*, **70**, 619-626.
- Choubey, V.M., Mukherjee, P.K., Bajwa, B.S. & Walia, V. 2007. Geological and tectonic influence on water-soil radon relationship in Mandi-Manali area, Himachal Himalaya. *Environ. Geol.*, **52**(6), 1163-1171.
- Choudhury, S., Hemlata Rajpal & Saraf, A.K. 2007. Mapping and forecasting of North Indian winter fog: an application of spatial technologies. *Int. Jour. Remote Sensing*, **28**(16), 3649-3663.
- Dobhal, D.P., Gergan, J.T & Thayyen, R.J. 2007. Mass balance and snout recession measurement (1991-2000) of Dokriani glacier Garhwal Himalaya India, International Hydrological Programme. *Technical Documents in Hydrology*, **80**, 53-63.
- Dobhal, D.P., Gergan, J.T & Thayyen, R.J. 2008. Mass balance studies of Dokriani glacier from 1992 to 2000, Garhwal Himalaya, India. *Bull. Glaciological Res.*, **25**, 9-17.
- Dubey, A.K. & Bhakuni, S.S. 2008. Neotectonic stresses and active tectonics in the Garhwal Inner Lesser Himalaya: anisotropy of magnetic susceptibility studies. *Him. Geol.*, **29**(1), 35-47.
- Goel, O.P. & Bhakuni, S.S. 2007. Petrochemistry and petrogenesis of the Great Himalayan gneisses and granites from Chamoli District, Kumaun-Garhwal Himalaya. In: Saklani, P.S.(ed.), *Himalaya (Geological Aspect)*. Satish Publishing House, New Delhi, **5**, 51-101.
- Gupta, Vikram & Ahmed, Iqar 2007. The effect of pH of water and mineralogical properties on the slake durability (degradability) of different rocks from the Lesser Himalaya, India. *Eng. Geol.*, DOI: 10.1016/j.enggeo.2007.09.004.
- Gupta, Vikram & Ahmed, Iqar 2007. Geotechnical characteristics of Surabhi Resort landslide in Mussourie, Garhwal Himalaya, India. *Him. Geol.*, **28**(2), 21-32

- Gupta, Vikram, Bist, K.S., Sharma, B. & Asthana, A.K.L. 2007. Varunavat landslide in the Bhagirathi valley, Garhwal Himalaya: its causes and risk assessment. *In: Verma, O.P., Mahajan, A.K. & Gupta, V. (eds), Natural Hazards*, Sp. Publication, Indian Geological Congress, 97-111.
- Gururajan, N.S. & Choudhuri, B.K. 2007. Geochemistry of the Trans Himalayan Lohit Plutonic Complex, Eastern Arunachal Pradesh. *Jour. Geol. Soc. India.*, **70**, 17-33.
- Jowhar, T.N. 2007. Significance of chemical zoning in garnets. *Indian Mineralogist*, **41**(2), 200-210.
- Jowhar, T.N. 2007. Pressure-Temperature paths from zoned metamorphic garnets. *Indian Jour. Geochem.*, **22**(2), 419-429.
- Jaygunadaperumal, R. & Thakur, V.C. 2008. Kinematics of secondary surface fractures on southeastern extension of rupture zone, and 8 October 2005, Muzafarabad earthquake. *Tectonophysics*, **446**, 61-76
- Kamal & Mundepi, A.K. 2007. Site response studies in Dehradun city: first step towards seismic microzonation. *In: Verma, O.P., Mahajan, A.K. & Gupta, V. (eds), Natural Hazards*. Sp. Publication, Indian Geological Congress, 175-181.
- Kapur, V., Bajpai S., Das, D.P. & Tiwari B.N. 2007. Early Eocene Primate (Mammalia) from Vastan Lignite Mine, District Surat (Gujarat), Western India. *Jour. Palaeontol. Soc. Ind.*, **52**(2), 231-234.
- Kumar, K., Rana, R.S. & Singh, H. 2007. Fishes of the Khuiala Formation (Early Eocene) of the Jaisalmer Basin, Western Rajasthan, India. *Curr. Sci.*, **93** (4), 553-559.
- Kumar, Sushil, Chander, R. & Khattri, K.N. 2007. Upper mantle velocity structure in the NW Himalaya: Hindu Kush to Garhwal region from travel time studies of deep Hindu Kush earthquakes. *Educational Research and Review*, **2**(12), 302-314.
- Kumar, Senthil, Weskowsky, S.G., Rockwell, T.K., Briggs, R.W., Thakur, V.C. & Perumal, R.J. 2007. Paleoseismic evidence of great surface rupture earthquakes along the Indian Himalaya. *Jour. Geophys. Res.*, iii, B03304, 10.1029/2004JB00309.
- Lokho, K. & Raju, D.S.N. 2007. Langhian (early Middle Miocene) foraminiferal assemblage from Bhuban Formation, Mizoram, NE India. *Jour. Geol. Soc. India*, **70** (6), 933-938.
- Lokho, K. & Kumar, K., 2008. Fossil pteropods (Thecosomata, holoplanktonic Mollusca) from the Eocene of Assam-Arakan Basin, north-eastern India. *Curr. Sci.*, **94** (5), 647-652.
- Luirei, K. & Bhakuni, S.S. 2007. Soft sediment deformational structures in the lacustrine deposits of Ziro valley, Lesser Himalaya, Arunachal Pradesh. *Jour. Geol. Soc. India*, **70**(1), 73-78.
- Luirei, K. & Bhakuni, S.S. 2007. Landslides along frontal part of Eastern Himalaya in East Siang and Lower Dibang districts, Arunachal Pradesh, India. *Jour. Geol. Soc. India*, **71**(3), 321-330.
- Mahajan, A.K. & Ghosh, G.K. 2007. Statistical analysis of earthquake data from Northwest Himalayan region and its implication for seismic hazards. *In: Verma, O.P., Mahajan, A.K. & Gupta, V. (eds), Natural Hazards*. Sp. Publication, Indian Geological Congress, 45-56.
- Mahajan, A.K., Rob J. Sporry, Champati, P.K., Ranjan, Rajiv, Siefko Slob & Cees, J. van Westen 2007. Methodology for site response studies using Multi-channel Analysis of Surface Wave (MASW) technique in Dehradun city. *Curr. Sci.*, **92**(7), 945-955. (2006).
- Mahajan, A.K., Siefko Slob, Rajiv Ranjan, Rob Sporry, Champati, P.K. & Cees J. van Westen, 2007. Seismic Microzonation of Dehradun city using Geophysical and Geotechnical Characteristics in the upper 30-meters of soil column. *Jour. Seismol.*, **11**, 335-370.
- Mazari, R.K. 2007. Outline geomorphology of the upper Bhagirathi basin, Garhwal Himalaya. *Him. Geol.*, **28**(2), 45-57.
- Misra, D.K. 2007. Evidences of Neotectonic activity along active faults in Arunachal Himalaya, NE India. *Him. Geol.*, **28**(2), 75-78.
- Misra, D.K. 2007. Geomorphic features along the active faults in the Lohit and Dibang Valleys, Eastern Arunachal Pradesh, India. *Zeitschrift fur Geomorphologie N.F.*, **51**(3), 327-336.

- Mondal, S.K., Sastry, R., Pachauri, A.K. & Gautam, P.K. 2008. High resolution 2D electrical resistivity tomography to characterize active Naitwar Bazar landslide, Garhwal Himalaya, India. *Curr. Sci.*, **94**(7), 871-875.
- Mukherjee, P.K. Purohit, K.K. Saini, N.K. & Khanna, P.P. 2007. Geochemical landscape of Garhwal Lesser Himalaya based on active stream sediment geochemistry. *Ind. Jour. Geochem.*, **22** (1), 79-89.
- Mundepi, A.K. 2007. A comparative study of site amplification by using horizontal to vertical spectral ratio (Nakamura technique) of ground ambient noise (GAN) with earthquakes at various litho-units in NW Himalaya. *Him. Geol.* **28**(2) 69-74.
- Mundepi, A.K., Kamal & Paul, A. 2007. Estimation of site amplification at various lithounits in NW Himalaya using horizontal to vertical ratio. *Jour. Geol. Soc. Ind.*, **70**, 605-609.
- Mundepi, A.K. 2008. Site response studies using horizontal to vertical ratio (H/V) in the city of Chandigarh, North India. *Him. Geol.*, **29** (1), 87-93.
- Nanda, A.C. & Sehgal, R.K. 2007. Geology and mammalian faunas of the Siwalik Group of Northwestern Himalaya: recent investigations. In: Sankhyan, A.R. & Rao, V.R.(eds), *Human Origins, Genome & People of India Genomic, Palaeontological and Archaeological Perspectives*. Allied Publishers Pvt. Ltd, New Delhi, 77-90.
- Narasimhon, C.L. Patil, S.K. & Arora, B.R. 2008. A Palaeomagnetic perspective on the flows and intrusives of Kachchh Rift Basin and its implication on Reunion Plume-Indian Plate interaction. In: Srivastava, R., Shivaji, C. & Chalapathi Rao, N.V. (eds), *Indian Dykes: Geochemistry, Geophysics and Geochronology*. Narosa Publications, New Delhi, 159-180.
- Negi, P.S. 2007. Alien flora of Doon Valley, North-West Himalaya. *Curr. Sci.*, **92**(7), 968-978.
- Nummela, S., Thewissen, J.G.M., Bajpai, S., Hussain, S.T. & Kumar, K. 2007. Sound transmission in archaic and modern whales: anatomical adaptations for underwater hearing. *The Anatomical Record*, **290**, 716-733.
- Panda, S.K., Choudhury, S., Saraf, A.K. & Das, J.D. 2007. MODIS land surface temperature data detects thermal anomaly preceding 08 October 2005 Kashmir earthquake. *Int. Jour. Remote Sensing*, **28**(20), 4587-4596.
- Pant, P.D., Kothyari, G.C. & Luirei, K. 2007. Geomorphologic and geological investigation of neotectonic activity of Saryu River Fault (SRF), a part of North Almora Thrust (NAT) in Seraghat-Basoli area in Central Kumaun, Uttaranchal. *Jour. Geol. Soc. India*, **70**, 815-823.
- Parcha, S.K., Sabnis, S.V. & Saraswati, P.K. 2007. Taxonomic application of classification and regression tree (CART) and random forests (RF): a case study of Middle Cambrian Trilobites. *Jour. Geol. Soc. India*, **70**, 1033-1038.
- Patil, S.K & Arora, B.R. 2008. Palaeomagnetic and rock magnetic studies on the intrusives from Raniganj Basin, Damodar Valley: linkage to Rajmahal Volcanics. In: Srivastava, R. Shivaji, C. & Chalapathi Rao, N.V. (eds), *Indian Dykes: Geochemistry, Geophysics and Geochronology*. Narosa Publications, New Delhi, 511-526.
- Paul, A., Pant, C.C., Darmwal, G.S. & Pathak, V. 2007. Seismicity of Uttarakhand as recorded by Kumaun Digital Telemetered Seismic Network. In: Verma, O.P., Mahajan, A.K. and Gupta, V. (eds), *Natural Hazards, Sp. Publication, Indian Geological Congress*, 57-63.
- Paulsen, Timothy, S., Christie M. Demosthenous., Myrow, P.M., Thompson, K.R., Hughes, N.C. & Parcha, S. K. 2007. Paleostain stratigraphic analysis of calcite twins across the Cambrian-Ordovician unconformity in the Tethyan Himalaya, Spiti and Zaskar valley regions, India. *Jour. Asian Earth Sci.*, **31**(1), 44-54
- Philip, G. 2007. Remote sensing data analysis for mapping active faults in northwestern part of Kangra valley, NW Himalaya, India. *Int. Jour. Remote Sensing*, **28**(21), 4745-4761.
- Pollitz, F.F., Banerjee, P., Kelly, Grijalva, Nagarajan & Burgmann, Roland 2008. Effect of 3D viscoelastic structure on postseismic relaxation from the 2004 M=9.2. Sumatra earthquake. *Geophys. Jour. Int.*, doi:10.1111/j.1365-246X.2007.03666.x

- Purohit, K.K., Mukherjee, P.K., Saini, N.K., Rathi, M.S. & Khanna, P.P. 2007. Geochemical dispersion pattern of some heavy metals in upper Alaknanda catchment: application in mineral exploration and its environmental implications. *Jour. Geol. Soc. India*, **70**, 97-108
- Rana, R.S., Kumar, K., Escarguel, G., Sahni, A., Rose, K.D., Smith, T., Singh, H. & Singh, L. 2008. An ailuravine rodent from the early Eocene Cambay formation at Vastan, western India, and its palaeobiogeographic implications. *Acta Palaeontologica Polonica*, **53** (1), 1-14.
- Rao, D.R. & Rai, H. 2007. Permian komatiites and associated basalts from the marine sediments of Chhongtash Formation, southeast Karakoram, Ladakh, India. *Miner. Petrol.*, **91** (3-4), 171-189.
- Rao, D.R. & Rai, H. 2007. Are garnet-amphibolites and eclogites from Tso-Morari region, Ladakh evolved in a rift environment. *Deep Continental Studies-DST-Newsletter*, **17**(2), 2-6.
- Rathi, G., Sangode, S.J. Kumar, R. & Ghosh, S.K. 2007. Magnetic fabrics under high-energy fluvial regime of the Himalayan Foreland Basin, NW Himalaya. *Curr. Sci.*, **92**, 933-944.
- Sachan, H.K, Mukherjee, B.K. & Bodnar, R.J. 2007. Preservation of methane generated during serpentinization of upper mantle rocks: evidence from fluid inclusions in the Nidar ophiolite, Indus Suture Zone, Ladakh (India). *Earth Planet. Sci. Lett.*, **257**, 47-59.
- Sachan, H.K, Mukherjee, B.K. & Ahmad, T. 2007. Brine-rich Hydrothermal fluid circulation in the upper level of Nidar Ophiolite sequence, Ladakh: evidences from fluid inclusions. *Jour. Geol. Soc. India*, **70**, 780-786.
- Sangode, S.J. & Mazari, R.K. 2007. Late Quaternary environmental changes in the Trans Himalayan Spiti valley, India: results of mineral magnetic studies on Kioto paleolake. *Him. Geol.*, **28**(2), 1-9.
- Saraf, A.K., Sinha, S.T., Ghosh, P. & Choudhury, S. 2007. A new technique to remove false topographic perception phenomenon and its impacts in image interpretation. *Int. Jour. Remote Sensing*, **28**, 811-821.
- Saraf, A.K., Choudhury, S., Panda, S.K., Dasgupta, S. & Rawat, V. 2007. Does a major earthquake precede a thermal anomaly? *Int. Jou. of Geoinformatics*, **3**(3), 1-8.
- Sinha, R., Kumar, R., Sinha, S., Tandon S.K. & Gibling, M.R. 2007. Late Cenozoic fluvial deposits of India: an overview. *Quatern. Sci. Review.*, **26**, 2801-2822.
- Sinha, S., Islam, R. Ghosh, S. K., Kumar, R. & Sangode, S.J. 2007. Geochemistry of Neogene Siwalik mudstones along Punjab re-entrant, India: implications for source-area weathering, provenance and tectonic setting. *Curr. Sci.*, **92**, 1103-1113.
- Singh, A.K. 2007. Chemical characteristics of alkaline basalt from the Abor volcanics of Arunachal Himalaya. *Jour. Geol. Soc. India*, **69**, 189-1194.
- Singh, S.K. Rai, S.K. & Krishnaswami, S. 2008. Sr and Nd isotopes in river sediments from the Ganga Basin: Sediment provenance and spatial variability in physical erosion, *Jour. Geophys. Res.*, 113, F03006, doi: 10.1029/2007JF000909.
- Singh, T. & Viridi, N.S. 2007. Tectonic activity classes along the Nahan thrust (NT) in NW sub Himalaya. *Jour. Ind. Soc. Remote Sensing*, **35**(3) 221-230.
- Siva Siddaiah, N. 2008. Berthierine-rich Ooidal Ironstone from the Late Palaeocene- Middle Eocene Subathu Formation, Dogadda area, NW Himalaya and its Stratigraphic Significance. *Curr. Sci.*, **94**(1), 123-127.
- Sundriyal, Y.P., Tripathi, J.K., Sati, S.P., Rawat, G.S. & Srivastava, P. 2007. Landslide dammed lakes in the Alaknanda basin (Lesser Himalaya): causes and implications. *Curr. Sci.*, **93**, 568-574.
- Suresh, N., Bagati, T.N., Kumar, R. & Thakur, V.C. 2007. Evolution of Quaternary alluvial fans and terraces in the intramontane Pinjaur Dun, Sub-Himalaya, NW India: interaction between tectonics and climate change. *Sedimentology*, **54**, 809-833.
- Tewari, V.C. 2007. The rise and decline of the Ediacaran biota: palaeobiological and stable isotopic evidence from the NW and NE Lesser Himalaya, India. *Geological Society of London, Special Publication*, **286**, 77- 101.

Indian Geological Congress, Roorkee (in press).

- Gupta, V & Sah, M.P. The relationship between Main Central Thrust (MCT) and the spatial distribution of mass movement in the Satluj valley, Northwestern Higher Himalaya, India, *Zeitschrift fur Geomorphologie (in press).*
- Gupta, V & Sah, M.P. Impact of the Trans-Himalayan landslide lake outburst flood (LLOF) in the Satluj catchment, Himachal Pradesh, India. *Natural Hazards, (in press).*
- Gupta, V & Sah, M.P. Spatial variability of mass movements in the Satluj valley, Himachal Pradesh during 1990-2006, *Jour. Mountain Sci. (in press).*
- Gupta, V., Mazari, R.K. & Rautela, P. Engineering geological characterization of a landslide on the slope of Mansa Devi hill near, Haridwar, Uttarakhand. *Him. Geol. (comm.).*
- Khanna, P.P., Saini, N.K., Mukherjee, P.K. & Purohit, K.K. An appraisal of ICPMS technique for REEs determination: long term QC assessment of silicate rock analysis. *Him. Geol. (comm.).*
- Kothyari, G.C., Bhakuni, S.S. & Pant, P. D. Neotectonic activity along North Almora Thrust Zone, Kumaun Lesser Himalaya: field and digital elevation modeling (DEM) studies. *Geomorphology (comm.).*
- Kothyari, G.C., Pant, P. D, Bhakuni, S.S. & Chauhan, Ritu. Deformation of fluvio-lacustrine deposit in North Almora Thrust Zone: Kumaun Lesser Himalaya, Uttarakhand. *Curr. Sci. (comm.).*
- Kothyari, G.C., Bhakuni, S.S. & Pant, P. D. Status of neotectonics near NW of proposed Pancheshwar dam site on Kali river, Kumaun Lesser Himalaya, Uttarakhand. *Curr. Sci. (comm.).*
- Kumar, Naresh, Sharma, Jyoti., Arora, B.R and Mukhopadhyay, S. Seismotectonic model of Kangra-Chamba sector of NW Himalaya: constrained by joint hypocenter determination and fault plane solutions. *Bull. Seis. Soc. Amer. (comm.).*
- Kumar, Naresh, Sharma, Jyoti., Arora, B.R & Mukhopadhyay, S. 3D local tomography model of Kangra-Chamba region of NW Himalaya and its implications for seismic zoning. *Geophys. Res. Lett. (comm.).*
- Luirei, Khayingshing & Bhakuni, S.S. Geomorphic imprints of neotectonic activity along the frontal part of Eastern Himalaya, Pasighat, East Siang District, Arunachal Pradesh. *Jour. Geol. Soc. India. (in press).*
- Luirei, Khayingshing & Bhakuni, S.S. Ground tilting in Likhabali area along the frontal part of Arunachal Himalaya: evidence of neotectonics. *Jour. Geol. Soc. India (in press).*
- Lyubushin A.A., Arora, B.R. Kumar, Naresh, Chabak, S.K. & Baidya, P.R. Investigation of seismic regime in Western Himalaya. *Jour. of Seismol. (comm.).*
- Mahajan, A.K., Thakur, V.C Sharma, M. L. & Chauhan, M. Probabilistic seismic hazard map of NW Himalaya and its adjoining area, India. *Natural Hazards (comm.).*
- Mahajan, A.K. NEHRP soil classification and estimation of 1-D site effect of Dehradun fan deposits using shear wave velocity. *Engineering Geology (comm.).*
- Malik, J.N, Nakata, T, Philip, G. Suresh, N. & Viridi, N.S. Evidence of a large magnitude earthquake along Chandigarh Fault in the Frontal Himalayan zone, NW India. *Himalayan Geology (in press).*
- Mathur, N.S., Juyal, K.P & Kumar, K. 2008. Biotic response to Cretaceous-Eocene tectonic events at the northern margin of the Indian Plate and the Indus Suture Zone, Ladakh Himalaya, India. *Jour. Pal. Soc. India (in press).*
- Mazari, R.K. Glaciation, tectonics and glacier wandering in Spiti-Chandra watershed region, Himachal Himalaya, India. *Jour. of Quarter. Sci. (in press).*
- Misra, D.K. Geology and tectonic features of the Kameng-Subansiri sector of Western Arunachal Pradesh. *Jour. Geol. Soc. India (comm.).*
- Misra, D.K. Geological setting and deformational features along the Lohit and Dibang Valleys, Eastern Arunachal Pradesh. *Jour. Geol. Soc. India (comm.).*
- Misra, D.K. River response to continuing movements along the active faults in the Siang valley, Eastern

- Arunachal Pradesh, India. *Zeitschrift für Geomorphologie* (comm.).
- Mukherjee B.K., & Sachan, H.K. Characterization of fluids in coesite bearing rock of Tso Morari region, NW Himalaya: evidence of entrapment during peak metamorphism. *Geol. Mag.* (comm.).
- Mukherjee, P.K. & Gupta, P.K. A simplified minimum norm approach for estimation of volume strain and geochemical mass transfer in metasomatic alterations. *Chem. Geol.* (comm.).
- Mukherjee, P.K. & Gupta, P.K. Arbitrary scaling in ISOCON method of geochemical mass balance: an evaluation of the graphical approach. *Geochem. Jour.* (in press).
- Nanda, A.C. Comments on the Pinjor mammalian fauna of the Siwalik Group in relation to the Post-Siwalik faunas of Peninsular India and Indo-Gangetic Plain. *Quater. Int.* (in press).
- Negi P.S. Biotic stress on Himalayan progenitors and their significance for conservation of genetic resource - A case study of Doon valley and adjacent area. *Jour. Environ. Management* (comm.).
- Pant, P.D., Kothiyari, G.C. Khayingshing Luirei & Joshi, S. Neotectonic rejuvenation along a part of South Almora Thrust (SAT) in Kakright-Bamsyu area, Kumaun Himalaya, Uttaranchal. *Jour. Earth Sys. Sci.* (comm.).
- Patnaik, R. & Nanda, A.C. Early Pleistocene mammalian faunas of India and evidence of connections with other parts of the world. *Stony Brook Volume* (in press).
- Parcha, S.K. Himalayan trilobite fauna: present status with respect to the Cambrian Biostratigraphy (in press).
- Paul M., Nigel C. Myrow, Hughes, Searle, Peng, S.C. & Parcha, S.K. Stratigraphic correlation of Cambrian-Ordovician deposits along the Himalaya: implications for the age and nature of rocks in the Mt. Everest region (comm.).
- Parcha, S.K & Singh, B.P. Cambrian ichnofossils from the Zaskar Himalaya and their paleoenvironmental and palaeoecological implications (comm.).
- Paul, A. Evaluation and implications of seismic events in Garhwal-Kumaun region of Himalaya (comm.).
- Paul, A. & Bhakuni, S.S. Microseismicity in central part of Kumaun Inner Lesser Himalaya: implication to active tectonics (comm.).
- Paul S.K., Diachronous India-Asia collision: evidence from Indus Suture Zone, eastern Ladakh, NW Himalaya. *Ofioliti* (comm.).
- Phadtare, N.R., Extreme dry climate events in Central Himalaya during the past two millennia and their links to Indian summer monsoon (comm.).
- Raju, D.S.N. Ramesh, P., Shankar, R., Kumar, P., Prabhakaran, S., Kapesa Lokho & Singh, B.P. Stratigraphic mega charts for the Indian subcontinent. Placed in the website by International Commission on Stratigraphy. *Spl. Publication ONGC Bulletin* (in press).
- Rai, H. & Rao, D.R. 2007. Granite magmatism along southern margin of eastern Karakoram, Ladakh, India. *In: Santosh Kumar (ed.), Proceeding of National Seminar on Magmatism, Tectonism and Mineralization (MTM-2007)*, Nainital (comm.).
- Ramola, R.C Prasad, Y. Prasad, G Kumar, Sushil & Choubey. V.M. Soil-gas radon as seismotectonic indicator in Garhwal Himalaya, *The Int. Jour. Applied Radiation Isotopes* (in press).
- Schopf, J.W., Tewari, V.C. & Kudryavtsev, A. Discovery of a new chert permineralised microbiota in the Proterozoic Buxa Formation of the Ranjit Window, Sikkim, NE India, and its astrobiological implications. *Int. Jour. Astrobiology* (in press).
- Sharma R. Sulphide mineralization in uprising lithotectonic belt of Lesser Himalaya. *In: Santosh Kumar (ed.), Proceeding of National Seminar on Magmatism, Tectonism and Mineralization (MTM-2007)*, Nainital (comm.).
- Sharma R. & Rao, D.R. Fluid inclusion studies of granitoid rocks from the central part of Askot Crystallines, Kumaun Himalaya. *Him. Geol.* (in press).
- Sharma R. & Rao, D.R. Stannoidite and cubanite from Askot Polymetallic Sulphides, Kumaun Lesser Himalaya, India. *Curr. Sci.*(comm.).

- Sharma R, Prabha, J. & Pant, P.D. Fluid Related to the formation of talc deposits of Rema area, Kumaun Lesser Himalaya, India. *Jour. Geol. Soc. Ind.* (comm.).
- Singh, A.K., Devala Devi, L. & N. Ibotombi N.S. Platinum group of elements (PGE) and gold in the ultramafic rocks of Manipur Ophiolitic Complex, North East India: a preliminary report. *Jour. Geol. Soc. Ind.* (in press).
- Singh, A.K. Geology and geochemistry of the Manipur Ophiolitic Complex (MOC), Indo-Myanmar Orogenic Belt, Northeast India. *Special Issue of Journal of the Geological Society of India on "Orthomagmatic ore deposits related to mafic-ultramafic rocks with special emphasis (comm.)*.
- Singh, A.K. Report of platinum group of element (PGE) concentration in podiform chromites of Manipur Ophiolite Complex, Indo-Myanmar Orogenic belt, Northeast India. *Curr. Sci.* (comm.).
- Singh, A.K, Ibotombi, N.S., Devala Devi, L. & Singh Bikramaditya, R.K. Pillow basalts from the Manipur Ophiolitic Complex (MOC), Indo-Myanmar Range, Northeast India. *Jour. Geol. Soc. Ind.*(in press).
- Singh, A.K. Geochemistry and platinum group of elements (PGE) of ultramafic rocks and chromites of Manipur Ophiolitic Complex, Northeast India. *In: Santosh Kumar (ed.), Proceeding of National Seminar on Magmatism, Tectonism and Mineralization (MTM-2007), Nainital* (in press).
- Singh, A.K & Vallinayagam, G. Distribution of radioelement and rare-metal mineralization in A-type acid plutonic-volcanic rocks from the Neoproterozoic Malani Igneous Suite, Western Peninsular India. *Jour. Petrol. Miner.* (comm.).
- Singh, K. The reactivation in the hangingwall of Main Central Thrust: an example of break-back thrust along the Kishtwar Window, northwest Himalaya, India. *Jour. Asian Earth Sci.* (comm.).
- Singh, K. Can opposite vergent folds form in a single deformational phase? structural evidences from Chamba Thrust Sheet, Chamba-Lahaul region (northwest Himalaya), India. *Geol. Jour.* (comm.).
- Singh, Bikramaditya R.K., Gururajan, N.S & Singh, A.K. Petrology and geochemistry of amphibolites of the Bomdila Group, Western Arunachal Himalaya. *Jour. of Applied Geochemistry* (in press).
- Sinha S., Sen, K., Sangode, S. J., Kumar, R. & Ghosh S. K. Sedimentology and AMS studies along a part of the Siwalik Foreland Basin: implications for tectono-sedimentary expression, Nurpur Salient, NW Himalaya, India. *Curr. Sci.* (in press).
- Sinha S., Mukherjee, P.K., Kumar, R., Ghosh, S.K. & Sanyal, P. Sedimentologic and stable isotope evidences for a strong aridity at 9.1 Ma from the Himalayan Foreland Basin sediments, NW Himalaya, India. *Gondwana Res.* (comm.)
- Sinha S., Ghosh, S.K., Kumar, R., Islam, R., Sanyal, P & Sangode, S.J. Role of tectono climatic factors in the Neogene Himalayan Foreland Sediments: petrology and geochemical approach, Kangra Sub-Basin. *Jour. Geol. Soc. Ind.* (in press).
- Srivastava, P, Bhakuni, S.S., Luirei, K. & Misra, D.K. Fluvial records from the Brahmaputra river exit, NE Himalaya: climate-tectonic interplay during Late Pleistocene-Holocene. *Jour. Quater. Sci.* (in press).
- Srivastava, P. Tripathi, J.K., Islam, R & Jaiswal, M.K. Fashion and phases of Late Pleistocene aggradation and incision in Alaknanda River, western Himalaya, India. *Quater. Res.* (in press).
- Srivastava, P. & Misra, D.K. Morpho-sedimentary records of active tectonics at the Kameng river exit, NE Himalaya. *Geomorphology* (in press).
- Siddaiah, Siva N. Geochemistry and genesis of ooidal ironstone from Late Paleocene-Middle Eocene Kakara-Subathu formations, NW Himalaya. *Chem. Geol.* (comm.).
- Siddaiah, Siva N. & Kumar, K. Reply to ash beds from the Himalayan Foreland Basin: their nature and significance. *Curr. Sci.* (comm.).
- Tewari, V.C Proterozoic unicellular and multicellular fossils from the NE Lesser Himalaya, India and their astrobiological implications. *In: Seckbach, J. (ed.), From Fossils to Astrobiology*, Springer Verlag (in press).
- Thakur V.C. Active tectonics of the Himalaya. Golden Jubilee Volume. *Jour. Geol. Soc. Ind.* (in press).
- Tiwari, M. & Pant, Indu. Microfossils from the Neoproterozoic Gangolihat Formation, Kumaun

Lesser Himalaya; their stratigraphic and evolutionary significance. *Jour. Asian Earth Sci.* (comm.).

Popular Article

- Dobhal, D.P. 2007. Garmiyon me bhari himpat: ek mausmi vibinnta. *Ashmika*, **13**, 12-15
- Negi, P.S. 2007. Himalaya me javtakneeki dwara bhooskhalan wale chetron ki pahichan. *Ashmika*, **13**, 6-9.
- Rawat, R.S. 2007, Khuli arth vyastha evm vigyan: Uttarakhand ke pariprakhya main. In: Special Issue of Sainya Sandesh on Uttarakhand on the Occasion of Diamond Jubilee Celebration of Indian Union's Independence by the All India Purv Sainik Sewa Parishad, Dehradun, 4th Issue, August 2007, 3-16.
- Rawat, R.S., 2007, Uttarakhand ki prakritik khanij sampadyan evm unka dohan. In: A Special Issue of Sainya Sandesh on Uttarakhand on the Occasion of Diamond Jubilee Celebration of Indian Union's Independence by the All India Purv Sainik Sewa Parishad, 4th Issue August 2007, 26-27.

Technical Reports

- Bist, K.S. 2007. Field excursion guide on 'Lithotectonic sequence of Outer and Lesser Himalaya from Dehradun to Mussoorie and Rishikesh to Deoprayag in Dehradun and Tehri districts, Garhwal Himalaya, Uttarakhand', 1-18.
- Bist, K.S. & Asthana, A.K.L. 2008. Feasibility report on the geological investigation of Basan road through Basan slip zone near Kalsi, Yamuna valley, Uttarakhand. 1-11.
- Gupta, V. & Bhakuni, S.S. 2007. Stabilization of cut slope at 132 kv Sub-Station, Satpuli (Pauri Garhwal), submitted to Executive Engineer, Uttarakhand Power Transmission Corporation, Dehra Dun, 5 pages with 3 figs and 4 maps.
- Mazari, R.K., Sah, M.P. & Gupta, V. 2007. Report on the relative slope stability in Mussoorie Municipal Area, District Dehra Dun, submitted to Mussoorie Dehra Dun Development Authority (MDDA) Dehra Dun, 14 pages and 6 figures.
- Sah, M.P. & Gupta, V. 2007. Geological feasibility of a site for the proposed residential house at Radha Bhawan Estate, New Circular Road, Mussoorie.