



WADIA INSTITUTE OF HIMALAYAN GEOLOGY
(भारत WADIA INSTITUTE OF HIMALAYAN GEOLOGY
(भारत सरकार के विज्ञान और प्रौद्योगिकी विभाग का एक स्वायत्तशासी संस्थान)
(An Autonomous Institution of Department of Science & Technology)
GOVERNMENT OF INDIA.
33, जनरल महादेव सिंह मार्ग
देहरादून - 248 001 (भारत)
DEHRA DUN - 248001 (INDIA)

दूरभाष / Phone : 0135-2525500, 2525501
फैक्स / FAX : 0135-2625212
ई-मेल / E-mail : stores@wihg.res.in
वेब / Web : <http://www.wihg.res.in>

By: Speed Post

खोले जाने की अपेक्षित तिथि: 02/02/2021
DUE TO OPEN ON : 02/02/2021

संख्या: एस-2/34-पी0 (मिस इक्यूपमेंट) / वाओडिओमूंसॉल-2020-21/1239 से 1263 तक
दिनांक: 11.01.2021

S-2/34-P(Misc Equipment) Wihg/2020-21

Dated: 11-01-2021

प्रेषित / To

प्रिय महोदय / Dear Sirs,

हम अधोवर्णित मद/मदों खरीदना चाहते हैं। कृपया प्रस्तावित सामग्री के विषय में सम्पूर्ण विनिर्देश तथा अन्य जानकारी दें। यदि कोई तकनीकी पन्ने/विस्तृत साहित्य आदि हों तो वह भी आपके प्रस्ताव के साथ भेजे जाने चाहिए। आपसे अनुरोध है कि इसके लिए आप अपनी मुहरबन्द निविदा/भाव-सूची कृपया अपने पत्र-शीर्ष पर ही प्रस्तुत करें

We intend to purchase (Magnetic Hotplate Stirrer) as per the details/specifications(Annexure-1) You are requested to submit your sealed tender/quotation/s along with Compliance statement(Annexure-2) and technical leaflets /Brochures for the same on your own letterhead. Bids without Compliance statement and technical leaflets / Brochure will summarily be rejected

Sl. No.	Description of Item	Qty.
1.	Magnetic Hotplate Stirrer Specification as per Annexure -1	2 Nos.

TERMS&CONDITION

नियम तथा शर्तें

1 आपके प्रस्ताव में, प्रस्तावित मद (मदों) की निर्मित (मेक) का वर्णन अवश्य किया जाए।
Make(s) of offered item(s) MUST be mentioned in your offer.

2 आपकी निविदा/भाव-सूची का लिफाफा मुहरबंद होना चाहिए तथा उसके ऊपर स्पष्ट, बड़े अक्षरों में
.....हेतु निविदा (निविदा संख्या..... को खोली जाने वाली' : (ऊपरवर्णित) लिखा

Continued on page -2

o/c

होना चाहिए।

The envelope containing your tender/quotation should be sealed and superscribed in Capital letters "TENDER FOR (TENDER NO.....) DUE TO OPEN ON :MENTIONED ABOVE.

- 3 वर्णित मूल्य, वाडिया हि0भूवि0सं0, देहरादून तक सुपुर्दगी के आधार पर ही हो।केवल जी0एस्0टी जो लागू हो अतिरिक्त रूप से देय होगा। आपके प्रस्ताव में जी0एस्0टी0 की दर का वर्णन अवश्य किया जाए।

Rates MUST be for delivery on FOR Wadia Institute of Himalayan Geology, Dehradun premises basis. Only GST as applicable will be paid extra. Rate of GST MUST be mentioned in your offer.

4. आपूर्ति की प्राप्ति, संस्थापना तथा स्वीकृती के बाद ही मुगतान किया जाएगा।
Payment will be made after receipt, installation and acceptance of supply.
5. आपके प्रस्ताव में, प्रस्तावित मद (मदों) के लिए दो साल औन-साईट कंप्रेहेंसिव वारंटी यदि हो, का स्पष्ट उल्लेख किया जाना चाहिए।
Two years on site comprehensive warranty against any manufacturing defects from the date of satisfactory installation commissioning and final acceptance of supply **must** be available on the offered system. The warranty clause on these lines **must** be clearly mentioned in your bid. Offers with other warranty clauses will not be considered. After sales- service facilities in India should also be available. Details of warranty/guarantee and the after-sales service facilities available in India must be specifically mentioned in your offer, failing which the offer is liable to be rejected.

6. आपकी मुहरबंद निविदा/भाव सूची, हमारे पास ऊपरवर्णित नियत तिथि को अपराहन 1.00 बजे तक अवश्य पहुँच जानी चाहिए।
Your sealed tender/quotation MUST reach us by 01.00 P.M. on the due date mentioned above.

7. निविदाएं/भाव-सूचियाँ नियत तिथि 02.02.2021 को अपराहन 3.00 बजे खोली जाएँगी। यदि किसी कारणवश कार्यालय, उस नियत तिथि को बंद रहता है या इस तिथि को किसी कारणवश भाव-सूचियाँ खोलना सम्भव नहीं होता तो भाव-सूचियाँ अगले कार्य दिवस को अपराहन 3.00 बजे खोली जाएँगी।
Tenders/quotations will be opened at 3.00 p.m. on 02-02-2021. In case the office is closed on this date due to any of the reasons or it is not possible for us to open the quotations on this date because of any of the reasons, the quotations will be opened at 3.00 p.m. on the next working day.

- 8 (i) स्वदेशी मूल उपकरण निर्माता या उनके अधिकृत डीलर के लिए -
जीएफआर 2017 के नियम 171 या किसी अन्य नियम या प्रोक्योरमेंट मैनुअल में निहित किसी भी प्रावधान के बावजूद बोली सुरक्षा के बारे में कोई प्रावधान इस बोली दस्तावेज के साथ नहीं रखा जा रहा है। हालांकि बोलीदाताओं को बोली नीति घोषणा द्वारा अधिसूचि बोली घोषणा प्रस्तुत करने की आवश्यकता होती है। व्यय विभाग, वित्त मंत्रालय, भारत सरकार ने वहा कार्यालय ज्ञापन सं। 9 / 4/2020 दिनांक 12-11-2020 घोषणा (प्रारूप की प्रति संलग्नक -3 के रूप में संलग्न है)

- 8(ii) विदेशी मूल उपकरण निर्माता या उनके अधिकृत डीलर के लिए:- निविदाकर्ताओं को निदेशक, वाडिया हिमालय भूविज्ञान संस्थान, देहरादून के नाम पर बयाना (अर्नेस्टमनी) के लिए रु2400 / की राशि या इसके समतुल्य विदेशी मुद्रा की राशि को बोली के साथ एफ0डी0आर0 या बैंक वारंटी के आकार में प्रस्तुत किया जाना चाहिए असफल होने पर प्रस्ताव पर विचार नहीं किया जाएगा। बोली की वैधता बैंक गारंटी लागू होने के बाद पैंतालीस (४५) दिनों तक लागू रहेगी।

For Indigenous Original Equipment Manufacturer or Their Authorized Dealer -

Notwithstanding anything contained in rule 171 of GFRs 2017 or any other Rule or any provision contained in Procurement Manuals, no provision regarding bid security is being kept with this bid document. However, the bidders are required to submit Bid Security Declaration as notified by Procurement policy, Department of Expenditure, Ministry of Finance, Government of India vide their Office Memorandum no. F.9/4/2020-PPO dated 12-11-2020. (A copy of the Format is enclosed as annexure-3)

Continued on Page-3

For Overseas Original Equipment Manufacturer or Their Authorized Dealer:-

The bid should be accompanied by FDR /Bank Guarantee towards earnest money for an amount of Rs2400.00(Rupees Two Thousand Four hundred only) or its equivalent foreign currency. The EMD MUST be submitted with the bid in the shape of FDR/Bank Guarantee in the name of the Director, Wadia Institute of Himalayan Geology, Dehradun (India), failing which the offer will not be considered. The Bank Guarantee shall remain in force up to and including forty five (45) days after the bid validity.

9. आपके प्रस्ताव में, आपूर्ति के विस्तृत नियम एवं शर्तों का स्पष्ट उल्लेख किया जाना चाहिए अन्यथा आपका प्रस्ताव अस्वीकार किया जा सकता है।
Detailed terms & conditions of supply must be mentioned in your offer clearly, otherwise the offer is liable to be rejected.
10. आपकी जी०एस०टी० संख्या का आपके प्रस्ताव में स्पष्ट उल्लेख होना चाहिए।
Your G.S.T. Number must be specifically mentioned in your offer.
11. निविदाकारों को उनके अपने हित में सलाह दी जाती है कि वे या तो अपनी निविदाएँ रजिस्टर्ड डाक से भेजें या फिर अपनी निविदाएँ स्वयं आकर भंडार एवं कय अधिकारी के कमरे में रखी गई निविदा पेटी में डाल दें। यह निविदाकारों की स्वयं की जिम्मेदारी है कि वे यह सुनिश्चित करें कि उनकी निविदाएँ इस कार्यालय में नियत तिथि तक तथा सही समय पर पहुँच जाएँ।
The tenderers are advised in their own interest to either send their tenders by Registered post or to put their tenders in person in the tender box kept in the room of Stores & Purchase Officer of the Institute. It is the responsibility of the tenderers to see that their tender reaches this office by due date and well in time.
12. आपके द्वारा क्वोट की गई भाव-सूची, निविदा खोलने की तिथि से कम से कम चार महीने तक लागू रहनी चाहिए।
The rates quoted by you should hold good for at least four months from the date of opening the tender.
13. यदि कय आदेश का मूल्य रूपये 2,00,000.00 या उससे ऊपर है तो निविदाकार को वारंटी अवधि के पूरा होने तक कय आदेश मूल्य का 3 प्रतिशत से सुरक्षा (सिक्योरिटी डिपोजिट) के तौर पर एफ०डी०आर० या बैंक वारंटी के रूप में जमा कराना होगा।
If order value reaches Rs. 2,00,000.00 or above, the tenderer will have to submit security deposit @ 3% of order value in the shape of FDR/Bank Guarantee till the completion of warranty period.
14. आपूर्ति की प्राप्ति, स्वीकृति तथा संस्थापना के बाद, केवल कास किए गए चैक से ही भुगतान किया जाएगा। अन्य भुगतान नियमों वाले प्रस्तावों को नजरअन्दाज कर दिया जाएगा।
Payment will be made after receipt, acceptance & installation of supply by a crossed cheque only. Offers with other payment terms are liable to be ignored.
15. निविदा में उस तिथि का उल्लेख किया जाए जिस तक शीघ्रतम सुपुर्दगी कार्य पूरा किया जा सकता है। अनुबंधित तिथि तक सुपुर्दगी को कार्यरूप दे पाने की विफलता की स्थिति में निविदाकार(रों) को सरकार द्वारा निर्धारित की गई दरों पर निर्णीत हर्जाना भरना पड़ सकता है।
The earliest date by which delivery can be completed should be mentioned in the tender. Failure to effect delivery by the stipulated date may render the tenderers liable to pay liquidated damage at the rate prescribed by the Govt.
16. जिन निविदाओं में काट-पीट/लिखे हुए के ऊपर लिखा होगा, उन्हें नजरअन्दाज कर दिया जायेगा।
Tenders with overwritings/cuttings will be liable to be ignored.

:4:

17. यदि हिन्दी एवं अंग्रेजी अनुवाद मे कोई अन्तर आता है तो अंग्रेजी अनुवाद ही मान्य होगा।
In case of any difference in Hindi & English version, the English version will prevail.
18. निदेशक, वाडिया हिमालय भूविज्ञान संस्थान, देहरादून, के पास, बिना कोई कारण बताए; किसी भी अथवा सभी निविदाओं को अस्वीकार करने का अधिकार सुरक्षित है।
The Director, Wadia Institute of Himalayan Geology, Dehra dun reserves the right to reject any or all tenders in public interest without assigning reasons.

भवदीय,
Yours faithfully,



(एम०के० विस्वास)
(M.K. BISWAS)

भंडार एवं कय अधिकारी, कृते निदेशक
Stores & Purchase Officer, for Director

Annexure-1

<u>Magnetic Hotplate Stirrer</u>	
S. No.	Specifications
1.	Magnetic hotplate stirrer should be of low profile design to fit into fume hoods, chemically resistant, capable of continuous use upto 15 hours and must have temperature uniformity with consistent stirring at all speeds.
2.	Stirring capacity : 5-8 lts
3.	Speed (rpm/min ⁻¹) : ≥ 1500
4.	Temperature (°C) : ≥ 150
5.	Temperature stability : $\pm 1^\circ\text{C}$ or better accuracy
6.	Plate material : Ceramic
7.	Heated area (cm) : Between 20x20 to 30x30
8.	Rotation and heating : Individually adjustable
9.	Stirring Function : Continuous heavy duty motor and powerful magnet, able to maintain set speed even under changing load or viscosity.
10.	The device should restart automatically after power goes off and comes back and also saves the last setting for longer unsupervised operation
11.	Display : Digital display for temperature, speed and time etc.
12.	Warning system : Warning light when heat is turned on and remains on until top plate cools down. Also have warning indication/alarm/auto turnoff in case of overheated, no sample and stirring stopped.
13.	Power supply : 220/230V, 50Hz
14.	Equipment should have complete required essential assembly including Magnetic stirring bars.
15.	Warranty : Minimum 2 years onsite comprehensive warranty
16.	<i>Equipment should be ISO certified.</i>

L

Annexure-2

<u>Magnetic Hotplate Stirrer</u>			
S. No.	Specifications	Compliance	Remarks
1.	Magnetic hotplate stirrer should be of low profile design to fit into fume hoods, chemically resistant, capable of continuous use upto 15 hours and must have temperature uniformity with consistent stirring at all speeds.		
2.	Stirring capacity : 5-8 lts		
3.	Speed (rpm/min ⁻¹) : ≥1500		
4.	Temperature (°C) : ≥150		
5.	Temperature stability : ±1°C or better accuracy		
6.	Plate material : Ceramic		
7.	Heated area (cm) : Between 20x20 to 30x30		
8.	Rotation and heating : Individually adjustable		
9.	Stirring Function : Continuous heavy duty motor and powerful magnet, able to maintain set speed even under changing load or viscosity.		
10.	The device should restart automatically after power goes off and comes back and also saves the last setting for longer unsupervised operation		
11.	Display : Digital display for temperature, speed and time etc.		
12.	Warning system : Warning light when heat is turned on and remains on until top plate cools down. Also have warning indication/alarm/auto turnoff in case of overheated, no sample		

sl

	and stirring stopped.		
13	Power supply : 220/230V, 50Hz		
14	Equipment should have complete required essential assembly including Magnetic stirring bars.		
15	Warranty : Minimum 2 years onsite comprehensive warranty		
16	<i>Equipment should be ISO certified.</i>		

h

Annexure-3

Form of Bid-Securing Declaration

Bid No.:

To

The Director,
Wadia Institute of Himalayan Geology,
Dehradun

We, the undersigned, declare that:

We understand that, according to your conditions, bids must be supported by a Bid-Securing Declaration.

We accept that we will automatically be suspended from being eligible for bidding in any contract with the Wadia institute of Himalayan Geology, if we are in breach of our obligation(s) under the bid conditions, because we:

- a) have withdrawn our Bid during the period of one month bid validity specified in the letter of bid: or
- b) having been notified of the acceptance of our bid by Wadia Institute of Himalayan Geology the during the period of bid validity, (i) fail or refuse to execute the contract, if required, or
(ii) fail or refuse to furnish the Security deposit, in accordance with tender condition

We understand this Bid-Securing Declaration shall expire if we are not the successful Bidder, upon the earlier of (i) our receipt of your notification to us of the name of the successful Bidder: or
(ii) Twenty-eight days after the expiration of our bid.

Signed:

Name:

Duly authorized to sign the bid for and on behalf of:

Date:

