



WADIA INSTITUTE OF HIMALAYAN GEOLOGY
(भारत सरकार के विज्ञान और प्रौद्योगिकी विभाग का एक स्वायत्तशासी संस्थान)
(An Autonomous Institution of Department of Science & Technology)
GOVERNMENT OF INDIA.
33, जनरल महादेव सिंह मार्ग
देहरादून - 248 001 (भारत)
DEHRA DUN - 248001 (INDIA)

दूरभाष / Phone : 0135-2525500, 2525501
फैक्स / FAX : 0135-2625212
ई-मेल / E-mail : stores@wihg.res.in
वेब / Web : <http://www.wihg.res.in>

By: Speed Post
खोले जाने की अपेक्षित तिथि: 26/01/2021
DUE TO OPEN ON : 26/01/2021

संख्या: एस-2/137-पी0 (सिंगल डिस्क पॉलिशिंग मशीन) / वा0हि0भू0सं0-2017-18/

दिनांक: 5.01.2021

S-2/137-P/(Single Disc Polishing Machine)Wihg/2020-21/16

Dated: 05-01-2021

प्रेषित / To

प्रिय महोदय / Dear Sirs,

हम अधोवर्णित मद/मदें खरीदना चाहते हैं। कृपया प्रस्तावित सामग्री के विषय में सम्पूर्ण विनिर्देश तथा अन्य जानकारी दें। यदि कोई तकनीकी पन्ने/विस्तृत साहित्य आदि हों तो वह भी आपके प्रस्ताव के साथ भेजे जाने चाहिए। आपसे अनुरोध है कि इसके लिए आप अपनी मुहरबन्द निविदा/भाव-सूची कृपया अपने पत्र-शीर्ष पर ही प्रस्तुत करें।
We intend to purchase (Single Disc Polishing Machine) as per the details/specifications(Annexure-1) You are requested to submit your sealed tender/quotation/s along with Compliance statement(Annexure-2) and technical leaflets /Brochures for the same on your own letterhead. **Bids without Compliance statement and technical leaflets / Brochure will summarily be rejected.-**

Sl. No.	Description of Item	Qty.
1.	Single Disc Polishing Machine (Specifications are attached herewith as Annexure -1)	1 No.

TERMS & CONDITION

नियम तथा शर्तें

- आपके प्रस्ताव में, प्रस्तावित मद (मदों) की निर्मित (मेक) का वर्णन अवश्य किया जाए।
Make(s) of offered item(s) MUST be mentioned in your offer.
- सीलबंद निविदा / कोटेशन / प्रस्ताव दो भागों में निम्नानुसार प्रस्तुत किए जाने हैं: - तकनीकी और वाणिज्यिक बोलियाँ आपके अपने लेटरहेड पर अलग से प्रस्तुत की जानी चाहिए सीलबंद लिफाफा आपकी तकनीकी बोली को सील कवर में से एक में प्रस्तुत किया जाना चाहिए सुपर स्क्रिबलड सुपर स्क्रिबलड "सिंगल डिस्क पॉलिशिंग मशीन" 29-01-2021 को खोली जाने वाली। अन्य सीलबंद लिफाफे में आपकी वाणिज्यिक बोली होनी

0/c

Continued on page 2

चाहिए और सुपर स्क्रिबल्ड "सिंगल डिस्क पॉलिशिंग मशीन" होनी चाहिए इन दोनों के अन्य सीलबंद लिफाफे में और सुपरस्क्रिबल्ड "सिंगल डिस्क पॉलिशिंग मशीन" 26-01-2021 को खोली जाने वाली ।

The sealed tenders/quotations/offers are to be submitted in **two parts** as under:-
The technical and commercial bids should be submitted on your own letterhead in separate Sealed envelope **Your technical bid should be submitted in one of the sealed covers super scribed "Single Disc Polishing Machine" due to open on 26-01-2021 the other sealed envelope should contain your commercial bid and should be super scribed "Single Disc Polishing Machine" due to open on 26-01-2021 both these sealed envelopes should be submitted in a third sealed cover super scribed "Single Disc Polishing Machine " due to open on 26-01-2021.**

3. वर्णित मूल्य, वाडिया हि0भूवि0सं0, देहरादून तक सुपुर्दगी के आधार पर ही हो।केवल जी0एस0टी जो लागू हो अतिरिक्त रूप से देय होगा। आपके प्रस्ताव में जी0एस0टी0 की दर का वर्णन अवश्य किया जाए।
Rates MUST be for delivery on FOR Wadia Institute of Himalayan Geology, Dehradun premises basis. Only GST as applicable will be paid extra. Rate of GST MUST be mentioned in your offer.
4. आपूर्ति की प्राप्ति, संस्थापना तथा स्वीकृती के बाद ही भुगतान किया जाएगा।
Payment will be made after receipt, installation and acceptance of supply.
5. आपके प्रस्ताव में, प्रस्तावित मद (मदों) के लिए तीन साल औन-साईट कंप्रेहेंसिव वारंटी यदि हो, का स्पष्ट उल्लेख किया जाना चाहिए।
Three years on site comprehensive warranty against any manufacturing defects from the date of satisfactory installation commissioning and final acceptance of supply **must** be available on the offered system. The warranty clause on these lines **must** be clearly mentioned on both technical and commercial bids. Offers with other warranty clauses will not be considered. After sales- service facilities in India should also be available. Details of warranty/guarantee and the after-sales service facilities available in India must be specifically mentioned in your offer, failing which the offer is liable to be rejected.
6. आपकी मुहरबंद निविदा/भाव सूची, हमारे पास ऊपरवर्णित नियत तिथि को अपराह्न 1.00 बजे तक अवश्य पहुँच जानी चाहिए।
Your sealed tender/quotation MUST reach us by 01.00 P.M. on the due date mentioned above.
7. निविदाएं/भाव-सूचियाँ नियत तिथि 20.01.2021 को अपराह्न 3.00 बजे खोली जाएँगी। यदि किसी कारणवश कार्यालय, उस नियत तिथि को बंद रहता है या इस तिथि को किसी कारणवश भाव-सूचियाँ खोलना सम्भव नहीं होता तो भाव-सूचियाँ अगले कार्य दिवस को अपराह्न 3.00 बजे खोली जाएँगी।
Tenders/quotations will be opened at 3.00 p.m. on 20-01-2021. In case the office is closed on this date due to any of the reasons or it is not possible for us to open the quotations on this date because of any of the reasons, the quotations will be opened at 3.00 p.m. on the next working day.
- 8 (i) स्वदेशी मूल उपकरण निर्माता या उनके अधिकृत डीलर के लिए -
जीएफआर 2017 के नियम 171 या किसी अन्य नियम या प्रोक्वोरमेंट मैनुअल में निहित किसी भी प्रावधान के बावजूद बोली सुरक्षा के बारे में कोई प्रावधान इस बोली दस्तावेज के साथ नहीं रखा जा रहा है। हालांकि बोलीदाताओं को बोली नीति घोषणा द्वारा अधिसूचित बोली, बोली घोषणा प्रस्तुत करने की आवश्यकता होती है। वय्य विभाग वित्त मंत्रालय भारत सरकार ने वहाँ कार्यालय जापन सं। 9 / 4/2020 दिनांक 12-11-2020 घोषणा (प्रारूप की प्रति संलग्नक -3 के रूप में संलग्न है)

- (ii) विदेशी मूल उपकरण निर्माता या उनके अधिकृत डीलर के लिए:-
निविदाकर्ताओं को निदेशक, वाडिया हिमालय भूविज्ञान संस्थान, देहरादून के नाम पर बयाना (अर्नैस्टमनी) के लिए ₹0 11000/- की राशि ग्यारह हजार रुपये मात्र या इसके समतुल्य विदेशी मुद्रा की राशि को तकनीकी बोली के साथ एफ0डी0आर0 या बैंक वारंटी के आकार में प्रस्तुत किया जाना चाहिए फल होने पर प्रस्ताव पर विचार नहीं किया जाएगा। बोली की वैधता बैंक गारंटी लागू होने के बाद पैतालीस (४५) दिनों तक लागू रहेगी

For Indigenous Original Equipment Manufacturer or Their Authorized Dealer -

Notwithstanding anything contained in rule 171 of GFRs 2017 or any other Rule or any provision contained in Procurement Manuals, no provision regarding bid security is being kept with this bid document. However, the bidders are required to submit Bid Security Declaration as notified by Procurement policy, Department of Expenditure, Ministry of Finance, Government of India vide there Office Memorandum no. F.9/4/2020-PPO dated 12-11-2020. (A copy of the Format is enclosed as annexure-3)


For Overseas Original Equipment Manufacturer or Their Authorized Dealer:-

The bid should be accompanied by FDR /Bank Guarantee towards earnest money for an amount of Rs11000-00(Rupees Eleven Thousand only) or its equivalent foreign currency. The EMD MUST Be submitted with the Technical bid in the shape of FDR/Bank Guarantee in the name of the Director, Wadia Institute of Himalayan Geology, Dehradun (India), failing which the offer will not be considered. The Bank Guarantee shall remain in force up to and including forty five (45) days after the bid validity.

9. आपके प्रस्ताव में, आपूर्ति के विस्तृत नियम एवं शर्तों का स्पष्ट उल्लेख किया जाना चाहिए अन्यथा आपका प्रस्ताव अस्वीकार किया जा सकता है।
Detailed terms & conditions of supply must be mentioned in your offer clearly, otherwise the offer is liable to be rejected.
10. आपकी जी0एस0टी0 संख्या का आपके प्रस्ताव में स्पष्ट उल्लेख होना चाहिए।
Your G.S.T. Number must be specifically mentioned in your offer.
11. निविदाकारों को उनके अपने हित में सलाह दी जाती है कि वे या तो अपनी निविदाएँ रजिस्टर्ड डाक से भेजें या फिर अपनी निविदाएँ स्वयं आकर भंडार एवं कय अधिकारी के कमरे में रखी गई निविदा पेटी में डाल दें। यह निविदाकारों की स्वयं की जिम्मेदारी है कि वे यह सुनिश्चित करें कि उनकी निविदाएँ इस कार्यालय में नियत तिथि तक तथा सही समय पर पहुँच जाएँ।
The tenderers are advised in their own interest to either send their tenders by Registered post or to put their tenders in person in the tender box kept in the room of Stores & Purchase Officer of the Institute. It is the responsibility of the tenderers to see that their tender reaches this office by due date and well in time.
12. आपके द्वारा क्वोट की गई भाव-सूची, निविदा खोलने की तिथि से कम से कम चार महीने तक लागू रहनी चाहिए।
The rates quoted by you should hold good for at least four months from the date of opening the tender.
13. यदि कय आदेश का मूल्य रुपये 2,00,000.00 या उससे ऊपर है तो निविदाकार को वारंटी अवधि के पूरा होने तक कय आदेश मूल्य का 3 प्रतिशत से सुरक्षा (सिक्योरिटी डिपोजिट) के तौर पर एफ0डी0आर0 या बैंक वारंटी के रूप में जमा कराना होगा।
If order value reaches Rs. 2,00,000.00 or above, the tenderer will have to submit security deposit @ 3% of order value in the shape of FDR/Bank Guarantee till the completion of warranty period.
14. आपूर्ति की प्राप्ति, स्वीकृति तथा संस्थापना के बाद, केवल कास किए गए चैक से ही भुगतान किया जाएगा। अन्य भुगतान नियमों वाले प्रस्तावों को नजरअन्दाज कर दिया जाएगा।
Payment will be made after receipt, acceptance & installation of supply by a crossed cheque only. Offers with other payment terms are liable to be ignored.

15. निविदा में उस तिथि का उल्लेख किया जाए जिस तक शीघ्रतम सुपुर्दगी कार्य पूरा किया जा सकता है। अनुबंधित तिथि तक सुपुर्दगी को कार्यरूप दे पाने की विफलता की स्थिति में निविदाकार(रों) को सरकार द्वारा निर्धारित की गई दरों पर निर्णीत हर्जाना भरना पड़ सकता है।
The earliest date by which delivery can be completed should be mentioned in the tender. Failure to effect delivery by the stipulated date may render the tenderers liable to pay liquidated damage at the rate prescribed by the Govt.
16. जिन निविदाओं में काट-पीट/लिखे हुए के ऊपर लिखा होगा, उन्हें नजरअन्दाज कर दिया जायेगा।
Tenders with overwritings/cuttings will be liable to be ignored.
17. यदि हिन्दी एवं अंग्रेजी अनुवाद में कोई अन्तर आता है तो अंग्रेजी अनुवाद ही मान्य होगा।
In case of any difference in Hindi & English version, the English version will prevail.
18. निदेशक, वाडिया हिमालय भूविज्ञान संस्थान, देहरादून, के पास, बिना कोई कारण बताए, किसी भी अथवा सभी निविदाओं को अस्वीकार करने का अधिकार सुरक्षित है।
The Director, Wadia Institute of Himalayan Geology, Dehra dun reserves the right to reject any or all tenders in public interest without assigning reasons.

भवदीय,
Yours faithfully,



05/1/2021

(एमके0 विस्वास)
(M.K. BISWAS)

मंडार एवं कय अधिकारी, कृते निदेशक
Stores & Purchase Officer, for Director


Annexure 1

Specifications for Single Disc polishing machine

Specifications:

- a. Disc Diameter: ~ 300 mm.
- b. Grinding/Polishing machine should have a Magnetic base disc with cone. The magnetic disc ensures neither edge rounding nor smearing and should be provided inbuilt spinning function & rubber storage pad.
- c. Grinding & polishing machine should provide variable speed feasibility of approx. Min. 50 to the max. 500 rpm. Speed should be kept constant, independent of Load.
- d. Rotational direction of the disc should be an anti-clockwise direction only.
- e. Motor Power capacity should be at least 750 W at least.
- f. The speed of the disc should have the feasibility to increase or decrease the speed using a knob.
- g. Tap water with a solenoid control valve with knob should be provided.
- h. The approximate dimensions should be at most 550 mm X 800 mm x 350 mm (Width X Depth X Height) for its tabletop model.
- i. As a safety, the approximate noise level should be of max 60 dB (A) at idle running a distance of 1m from the machine.
- j Machine must have provisions for the up-gradation to semi-automatic at any point in time. Proper options for futuristic up-gradation needs to be provided along with brochures.
- k Machine must be provided along with all its accessories.

General Requirements:

- a. CE Certified: The equipment should be CE Certified for operational safety.
 - b. Power Supply: 200-240V / 50-60Hz – Single Phase.
 - c. Temperature: 5 – 40 °C
 - d. Humidity: 0 – 95% RH
 - e. Warranty: 3 Years on-site comprehensive
- 

Compliance Statement for Single Disk Polishing Machine

Sr. No.	Description	Compliance	Remarks
A	Disc Diameter: ~ 300 mm.		
b	Grinding/Polishing machine should have a Magnetic base disc with cone. The magnetic disc ensures neither edge rounding nor smearing and should be provided inbuilt spinning function & rubber storage pad.		
c	Grinding & polishing machine should provide variable speed feasibility of approx. Min. 50 to the max. 500 rpm. Speed should be kept constant, independent of Load.		
d	Rotational direction of the disc should be an anti-clockwise direction only		
e	Motor Power capacity should be at least 750 W at least.		
f	The speed of the disc should have the feasibility to increase or decrease the speed using a knob.		
g	Tap water with a solenoid control valve with knob should be provided.		
h	The approximate dimensions should be at most 550 mm X 800 mm x 350 mm (Width X Depth X Height) for its tabletop model.		
i	As a safety, the approximate noise level should be of max 60 dB (A) at idle running a distance of 1m from the machine.		
j	Machine must have provisions for the up-gradation to semi-automatic at any point in time. Proper options for futuristic up-gradation needs to be provided along with brochures.		

Compliance Statement for Single Disk Polishing Machine

Annexure-2

k	Machine must be provided along with all its accessories.		
<u>General Requirements:</u>			
A	CE Certified: The equipment should be CE Certified for operational safety.		
B	Power Supply: 200-240V / 50-60Hz – Single Phase.		
C	Temperature: 5 – 40 °C		
D	Humidity: 0 – 95% RH		
E	Warranty: 3 Years on-site comprehensive		

Annexure-3

Form of Bid-Securing Declaration

Bid No.:

To

The Director,
Wadia Institute of Himalayan Geology,
Dehradun

We, the undersigned, declare that:

We understand that, according to your conditions, bids must be supported by a Bid-Securing Declaration.

We accept that we will automatically be suspended from being eligible for bidding in any contract with the Wadia institute of Himalayan Geology, if we are in breach of our obligation(s) under the bid conditions, because we:

- a) have withdrawn our Bid during the period of one month bid validity specified in the letter of bid: or
- b) having been notified of the acceptance of our bid by Wadia Institute of Himalayan Geology the during the period of bid validity, (i) fail or refuse to execute the contract, if required, or
(ii) fail or refuse to furnish the Security deposit, in accordance with tender condition

We understand this Bid-Securing Declaration shall expire if we are not the successful Bidder, upon the earlier of (i) our receipt of your notification to us of the name of the successful Bidder: or
(ii) Twenty-eight days after the expiration of our bid.

Signed:

Name:

Duly authorized to sign the bid for and on behalf of:

Date:

