



WADIA INSTITUTE OF HIMALAYAN GEOLOGY
(भारत सरकार के विज्ञान और प्रौद्योगिकी विभाग का एक स्वायत्तशासी संस्थान)
(An Autonomous Institution of Department of Science & Technology)
GOVERNMENT OF INDIA.
33, जनरल महादेव सिंह मार्ग
देहरादून - 248 001 (भारत)
DEHRA DUN - 248001 (INDIA)

दूरभाष/ Phone : 0135-2525500, 2525501
फैक्स/ FAX : 0135-2625212
ई-मेल/ E-mail : stores@wihg.res.in
वेब/ Web : <http://www.wihg.res.in>

By: Speed Post

DUE TO OPEN ON : 23/ 02 /2021

संख्या: एस-2/199-पी0 (सीसीसी टी वी) / वाठिहोमूंसोल-2020-21/26/1425 से 1435 तक
दिनांक: 0 3.02.2021
S-2/199-P(CCCTV)WIHG/2020-21/1425 से 1435 .Date- 3.02.2021
प्रेषित/ To

प्रिय महोदय/ Dear Sirs

हम अधोवर्णित मद/मदें खरीदना चाहते हैं। कृपया प्रस्तावित सामग्री के विषय में सम्पूर्ण विनिर्देश तथा अन्य जानकारी दें। यदि कोई तकनीकी पन्ने/विस्तृत साहित्य आदि हों तो वह भी आपके प्रस्ताव के साथ भेजे जाने चाहिए। आपसे अनुरोध है कि इसके लिए आप अपमनग मुहरबन्द निविदा/भाव-सूची कृपया अपने पत्र-शीर्ष पर ही प्रस्तुत करें

We intend to install (CCCTV Solutions) as per the details/specifications(Annexure-1) You are requested to submit your sealed tender/quotation/s along with Compliance statement(Annexure-2) and technical leaflets /Brochures for the same on your own letterhead. Bids without Compliance statement and technical leaflets / Brochure will summarily be rejected.

SNo	Description	Qty
1	CCTV Solutions for the Institute (Bill of quantity & specifications as per Annexure-I)	1 Job

TERMS&CONDITIONS

- आपके प्रस्ताव में, प्रस्तावित मद (मदों) की निर्मित (मेक) का वर्णन अवश्य किया जाए।
Make(s) of offered item(s) MUST be mentioned in your offer.
- कृपया प्रस्तावित सामग्री के विषय में सम्पूर्ण विनिर्देश तथा अन्य जानकारी दें। यदि कोई तकनीकी पन्ने/विस्तृत साहित्य आदि हों तो वह भी आपके प्रस्ताव के साथ भेजे जाने चाहिए।
Please furnish complete specifications and other information about the offered materials.
Technical leaflets/detailed technical literature etc. if any, must be sent with your offer.

Continued on page -2

Handwritten mark

Handwritten mark

- 3 आपकी निविदा/भाव-सूची का लिफाफा मुहरबंद होना चाहिए तथा उसके ऊपर स्पष्ट, बड़े अक्षरों में '.....
हेतु निविदा (निविदा संख्या.....)..... को खोली जाने वाली' : (ऊपरवर्णित) लिखा हो-
The envelope containing your tender/quotation should be sealed and superscribed in Capital letters
"TENDER FOR (TENDER NO.....) DUE TO OPEN ON : MENTIONED ABOVE.
- 4 वर्णित मूल्य, वाडिया हि0भूवि0सं0, देहरादून तक सुपुर्दगी के आधार पर ही हो।केवल जी0एस0टी जो लागू ह
अतिरिक्त रूप से देय होगा। आपके प्रस्ताव में जी0एस0टी0 की दर का वर्णन अवश्य किया जाए।
Rates must be for delivery at Wadia Institute of Himalayan Geology, Dehradun. premises basis.
Only GST as applicable will be paid extra.. Rate of GST must be mentioned in your offer.
- 5 आपूर्ति की प्राप्ति, तथा स्वीकृति के बाद ही भुगतान किया जाएगा।
Payment will be made after receipt, installation and acceptance of supply.
- 6 आपके प्रस्ताव में, प्रस्तावित मद (मदों) के लिए तीन साल ऑन-साईट कंप्रेहेंसिव वारंटी यदि हो, का स्पष्ट
उल्लेख किया जाना चाहिए।
Two years onsite OEM comprehensive **warranty** against any manufacturing defects from the
date of Installation and acceptance of supply **must** be available on the offered system. The
warranty clause on these lines **must** be clearly mentioned on the bids. Offers with other
warranty clauses will not be considered. After sales- service facilities should also be provided by
the vendor. at local service centre **Dehra dun in India**, so that the problems can be redeemed
in the stipulated period of time. Details of warranty/guarantee and the after-sales service
facilities must be specifically mentioned in your offer, failing which the offer is liable to be rejected.
- 7 विक्रेता के पास देहरादून में एक पंजीकृत स्थायी कार्यालय होना चाहिए जिसके लिए परिचालन किया गया है पर्याप्त स्टाफ के साथ कम से कम 5 वर्ष
(ST / VAT / GST registration को प्रमाण के रूप में प्रस्तुत किया जाना चाहिए
The vendor should have a registered permanent office in Dehradun which has been operational
for at least 5 years with sufficient staff (ST/VAT/GST registration to be submitted as a proof)
- अपने लेटर हेड पर निर्माता से लेटर प्रदान करें जो आपूर्तिकर्ता को उद्घरण और आपूर्ति स्थापना और वारंटी से संबंधित सेवाएं प्रदान करता है प्रतिबद्ध
वारंटी अवधि के लिए तकनीकी सहायता प्रदान करना चाहिए
- 8 Provide Letter from Manufacturer on his letter head authorizing the supplier to quote and
provide services related to supply , Installation and Warranty ,breaks down maintenance
technical support for the committed warranty period.
- 9 बिडर को सेवा सहायता के लिए टेलीफोन नंबरों के एस्केलेशन मैट्रिक्स प्रदान करना चाहिए
Bidder must provide services Escalation Matrix of Telephone Numbers for service support.
- 10 बोली लगाने वाले को पिछले पाँच वर्षों के दौरान न्यूनतम एक निगरानी आदेश सफलतापूर्वक निष्पादित करना चाहिए वही या समान सरकारी संगठन
लिए
The bidder should have successfully executed minimum one Surveillance order (Same or
Similar) for any Government organization during the last five years
- प्रदर्शन और प्रशिक्षण: सीसीटीवी समाधान के घटकों की सफल स्थापना और एकीकरण के बाद प्रणाली के संचालन के लिए संस्थान कर्मियों के लिए
विक्रेता उसी को प्रदर्शित और प्रशिक्षण प्रदान करेगा।

- 11 **Demonstration & Training:** After the successful installation and integration of the components of CCTV solution, the vendor shall demonstrate the same and training will be provided by the vendor to the Institute personnel for the operation of the system
- 12 आपकी मुहरबंद निविदा/भाव सूची, हमारे पास ऊपरवर्णित नियत तिथि को अपराह्न 1.00 बजे तक अवश्य पहुँच जानी चाहिए।
Your sealed tender/quotation must reach us by 01.00 P.M. on the due date mentioned above.
- 13 निविदाएं/भाव-सूचियाँ नियत तिथि 23.02.2021 को अपराह्न 3.00 बजे खोली जाएँगी। यदि किसी कारणवश कार्यालय, उस नियत तिथि को बंद रहता है या इस तिथि को किसी कारणवश भाव-सूचियाँ खोलना सम्भव नहीं होता तो भाव-सूचियाँ अगले कार्य दिवस को अपराह्न 3.00 बजे खोली जाएँगी।
Tenders/quotations will be opened at 3.00 p.m. on 23-02-2021. In case the office is closed on this date due to any of the reasons or it is not possible for us to open the quotations on this date because of any of the reasons, the quotations will be opened at 3.00 p.m. on the next working day.
- 14 **स्वदेशी मूल उपकरण निर्माता या उनके अधिकृत डीलर के लिए -**
जीएफआर 2017 के नियम 171 या किसी अन्य नियम या प्रोक्वोरमेंट मैनुअल में निहित किसी भी प्रावधान के बावजूद बोली सुरक्षा के बारे में कोई प्रावधान इस बोली दस्तावेज के साथ नहीं रखा जा रहा है। हालांकि बोलीदाताओं को बोली नीति घोषणा द्वारा अधिसूचि बोली घोषणा प्रस्तुत करने की आवश्यकता होती है। व्यय विभाग वित्त मंत्रालय भारत सरकार ने वहा कार्यालय जापन सं। 9 / 4/2020 दिनांक 12-11-2020 घोषणा (प्रारूप की प्रति संलग्नक -3 के रूप में संलग्न है)
विदेशी मूल उपकरण निर्माता या उनके अधिकृत डीलर के लिए:-
निविदाकर्ताओं को निदेशक, वाडिया हिमालय भूविज्ञान संस्थान, देहरादून के नाम पर बयाना अर्नैस्टमनी के लिए ₹9000 / की राशि नो हजार रुपये मात्र सी सीसी टी वी या इसके समतुल्य विदेशी मुद्रा की राशि को बोली के साथ एफ0डी0आर0 या बैंक वारंटी के आकार में प्रस्तुत किया जाना चाहिए असफल होने पर प्रस्ताव पर विचार नहीं किया जाएगा। बोली की वैधता बैंक गारंटी लागू होने के बाद पैंतालीस (45) दिनों तक लागू रहेगी
For Indigenous Original Equipment Manufacturer or Their Authorized Dealer -
Notwithstanding anything contained in rule 171 of GFRs 2017 or any other Rule or any provision contained in Procurement Manuals, no provision regarding bid security is being kept with this bid document. However, the bidders are required to submit Bid Security Declaration as notified by Procurement policy, Department of Expenditure, Ministry of Finance, Government of India vide there Office Memorandum no. F.9/4/2020-PPO dated 12-11-2020.(A copy of the Format is enclosed as annexure-3
For Overseas Original Equipment Manufacturer or Their Authorized Dealer:-
The bid should be accompanied by FDR /Bank Guarantee towards earnest money for an amount of Rs9000 (Rupees Nine Thousand only) for (CCTV Solution) or its equivalent foreign currency. The EMD must be submitted in the shape of FDR/Bank Guarantee in the name of the Director, Wadia Institute of Himalayan Geology, Dehradun (India), failing which the offer will not be considered. The Bank Guarantee shall remain in force up to and including forty five (45) days after the bid validity.
15. आपके प्रस्ताव में, आपूर्ति के विस्तृत नियम एवं शर्तों का स्पष्ट उल्लेख किया जाना चाहिए अन्यथा आपका प्रस्ताव अस्वीकार किया जा सकता है।
Detailed terms & conditions of supply must be mentioned in your offer clearly, otherwise the offer is liable to be rejected.

Continued on page-4

- 16 आपकी जी०एस०टी० संख्या का आपके प्रस्ताव में स्पष्ट उल्लेख होना चाहिए
Your G.S.T. Number must be specifically mentioned in your offer.
- 17 निविदाकारों को उनके अपने हित में सलाह दी जाती है कि वे या तो अपनी निविदाएँ रजिस्टर्ड डाक से भेजें या फिर अपनी निविदाएँ स्वयं आकर भंडार एवं कय अधिकारी के कमरे में रखी गई निविदा पेट्टी में डाल दें। यह निविदाकारों की स्वयं की जिम्मेदारी है कि वे यह सुनिश्चित करें कि उनकी निविदाएँ इस कार्यालय में नियत तिथि तक तथा सही समय पर पहुँच जाएँ।
The tenderers are advised in their own interest to either send their tenders by Registered post or to put their tenders in person in the tender box kept in the room of Stores & Purchase Officer of the Institute. It is the responsibility of the tenderers to see that their tender reaches this office by due date and well in time.
- 18 आपके द्वारा क्वोट की गई भाव-सूची, निविदा खोलने की तिथि से कम से कम चार महीने तक लागू रहनी चाहिए।
The rates quoted by you should hold good for at least four months from the date of opening the tender.
19. यदि कय आदेश का मूल्य रूपये 2,00,000.00 या उससे ऊपर है तो निविदाकार को वारंटी अवधि के पूरा होने तक कय आदेश मूल्य का 3 प्रतिशत से सुरक्षा (सिक्योरिटी डिपोजिट) के तौर पर एफ०डी०आर० या बैंक वारंटी के रूप में जमा कराना होगा।
If order value reaches Rs. 2,00,000.00 or above, the tenderer will have to submit security deposit @ 3% of order value in the shape of FDR/Bank Guarantee till the completion of warranty period
- 20 आपूर्ति की प्राप्ति, स्वीकृति तथा संस्थापना के बाद, केवल कास किए गए चैक से ही भुगतान किया जाएगा। अन्य भुगतान नियमों वाले प्रस्तावों को नजरअन्दाज कर दिया जाएगा।
Payment will be made after receipt Installation & acceptance of supply by a crossed cheque only. Offers with other payment terms are liable to be ignored.
21. निविदा में उस तिथि का उल्लेख किया जाए जिस तक शीघ्रतम सुपुर्दगी कार्य पूरा किया जा सकता है। अनुबंधित तिथि तक सुपुर्दगी को कार्यरूप दे पाने की विफलता की स्थिति में निविदाकार(रों) को सरकार द्वारा निर्धारित की गई दरों पर निर्णीत हर्जाना भरना पड़ सकता है।
The earliest date by which delivery can be completed should be mentioned in the tender. Failure to effect delivery by the stipulated date may render the tenderers liable to pay liquidated damage at the rate prescribed by the Govt.
22. जिन निविदाओं में काट-पीट/लिखे हुए के ऊपर लिखा होगा, उन्हें नजरअन्दाज कर दिया जायेगा।
Tenders with overwritings/cuttings are liable to be ignored.
- 23 बोली आदेश (सार्वजनिक खरीद नंबर F.No.6 / 18/2019-PPD Dated 23-07-2020 से सार्वजनिक खरीद विभागए वित्त मंत्रालय के व्यय विभाग सार्वजनिक बोली विभाग भारत के साथ भूमि सीमा साझा करने वाले देश के किसी भी बोलीदाता से होगा) किसी भी खरीद में बोली लगाने के लिए योग्य है चाहे वह वस्तुएं या सेवाएं जिनमें (कंसल्टेंसी और नॉन कंसल्टेंसी सेविसेस) या कार्य (टर्नकी प्रोजेक्ट सहित) शामिल हैं यदि बोलीदात सक्षम प्राधिकारी के साथ पंजीकृत है अनुलगनक -1 में निर्दिष्ट है
Bidders vide order(Public Procurement No1 from F.No.6/18/2019-PPD Dated 23-07-2020, from Public Procurement Division Department of Expenditure Ministry of Finance, any bidder from a country which shares a land border with India will be eligible to bid in any procurement whether of goods or services including (consultancy and Non consultancy services) or works (including Turnkey project) only if the bidder is registered with competent authority, as specified in Annexure-1. therein.

24. यदि हिन्दी एवं अंग्रेजी अनुवाद मे कोई अन्तर आता है तो अंग्रेजी अनुवाद ही मान्य होगा।
In case of any difference in Hindi & English version, the English version will prevail.

25. निदेशक, वाडिया हिमालय भूविज्ञान संस्थान, देहरादून, के पास, बिना कोई कारण बताए, किसी भी अथवा सभी निविदाओं को अस्वीकार करने का अधिकार सुरक्षित है।
The Director, Wadia Institute of Himalayan Geology, Dehra Dun reserves the right to reject any or all tenders in public interest without assigning reasons.

भवदीय,
Yours faithfully,



(एमके0 विस्वास)
(M.K. BISWAS)

भंडार एवं कय अधिकारी, कृते निदेशक
Stores & Purchase Officer, for Director

ANNEXURE - 1
(Scope of Supplies and Technical Specifications)

Wadia Institute intends to get the CCTV at various important positions/locations within the Institute.

The specifications and quantity of the items required for the job are as per annexure-1. (However, the vendors must consider the project as turnkey and hence any other item that is required for the successful implementation of the system must also be clearly mentioned and rates quoted for the same in the offer). If any such item is not quoted and at the installation stage, it is seen that the item is required, the same will have to be provided by the vendor at no additional cost.

Integration: All the hardware and softwares (including NVR software of min. 32 users) required for the successful implementation will have to be provided by the vendor and installation of the same will also be responsibility of the vendor.

Fiber backbone cable is already laid and the spare fiber pairs will have to be used for the CCTV networking. The job would therefore also include fiber splicing, termination, connectorization, etc.

BOQ of CCTV Camera and required accessories			
S/No.	Item Description	Qty	UOM
1	4 MP IR Fixed Bullet Network Camera	2	Nos
2	4 MP IR Fixed Dome Network Camera	2	Nos
3	4MP 25x Network IR Speed Dome with Pole Mount stand	1	Nos
4	4MP 25x Network IR Speed Dome with Corner Mount stand	1	Nos
5	suitable 64 channel NVR	1	Nos
6	1G Fiber module	6	Nos
7	8-Port Gigabit PoE Switch with 2 Combo SFP Slots,	4	Nos
8	Rack 6U with 6 Port PDU 5 AMP	2	Nos
9	Cat6 SFTP Cable Box (305) Mtr.	1	Box
10	High Power Gigabit POE Injector	2	Nos
11	PVC Pipe 1" (Length 10 Feet)	50	Nos
12	Transparent Pipe 1 1/2"	2	Mtr.
13	HDPE Pipe 1" with accessories	90	Mtr.
14	Installation including digging in soft/hard soil, fixing of Pipes, cable laying, etc	1 Job	-
15	Any other component/accessory required for the commissioning of the proposed CCTV solution		

Note:	Payment will be made on actuals after measurement
--------------	--

LED TV

55" (or higher) LED TV (Sony/Panasonic/LG/Samsung) for displaying of the live camera recording will have to be provided by the vendor. However, the cost of the LED TV will ~~not~~ be considered for the evaluation of the lowest price quote (L1) Bidder

Appropriate NVR for the installation with following (or higher) specifications

Specification of NVR		Comply (Y/N)
General		
Chassis	19-inch rack-mounted 2U chassis with RAID for HDD Fault Tolerance	
Network		
Incoming bandwidth	320 Mbps (or better)	
Remote connection	64 or more	
Video/Audio input		
IP video input	64-CH, support for up to 8 MP resolution	
Two-way audio	1-ch, RCA (2.0 Vp-p, 1 k Ω)	
Video/Audio output		
Recording resolution	8 MP/6 MP/4 MP/3 MP/1080p/UXGA/720p/VGA	
Decoding		
Decoding format	H.265+/H.265/H.264/H.264+/MPEG4	
Live view/Playback resolution	8 MP/6 MP/4 MP/3 MP/1080p/UXGA/720p/VGA	
Network management		
Network protocols	TCP/IP, DHCP, DNS, DDNS, NTP, SADP, SMTP, NFS, iSCSI, HTTPS	
Hard disk		
SATA	Min 8 SATA interfaces for 8HDDs	
eSATA	min. 1 eSATA interface	
Capacity Required	6TB capacity for each HDD (24 TB total required)	
External interface		
Serial Interface	RS-232, keyboard	
USB interface	2 × USB 2.0; 1 × USB 3.0	
Network interface	Min 2ports, RJ-45 10/100/1000 Mbps	

al

Specification of Fixed Dome Camera		Comply (Y/N)
Camera		
Image Sensor	1/3" Progressive Scan CMOS	
Min. Illumination	Color: 0.01 Lux 0 Lux with IR	
Day & Night	IR Cut Filter	
Digital Noise Reduction	3D DNR	
WDR	should have WDR feature	
3-Axis Adjustment	Pan: 0° to 300°, tilt: 0° to 60°, rotate: 0° to 300°	
IR		
IR Range	40 m or better	
Compression Standard		
Video Compression	Main stream: H.265/H.264 Sub-stream: H.265/H.264/MJPEG	
Image		
Max. Resolution	2560 × 1440 (or higher)	
Image Setting	Rotate mode, saturation, brightness, contrast, sharpness adjustable by client software or web browser	
Day/Night Switch	Day/Night/Auto	
Network		
Network Storage	Support Micro SD/SDHC/SDXC card (128G), local storage and NAS (NFS,SMB/CIFS), ANR	
Alarm Trigger	Motion detection, network disconnected, IP address conflict, HDD full, HDD error	
Protocols	TCP/IP, ICMP, HTTP, HTTPS, FTP, DHCP, DNS, DDNS, RTCP, PPPoE, SMTP, SNMP, IGMP, 802.1X, QoS, IPv6	
General Function	privacy mask, watermark, IP address filter	
Simultaneous Live View	Up to 4 channels	
User/Host	8 or more users levels: Administrator and Operator	
Web Browser	support latest browsers	
Interface		
Communication Interface	1 RJ45 10M/100M self-adaptive Ethernet port	
On-board storage	Built-in Micro SD/SDHC/SDXC slot, up to 128 GB	
Reset Button	Yes	
General		
Operating Conditions	0°C to 50 °C	

Power Consumption and Current	12 VDC and PoE (802.3af)	
Protection Level	IP67	

Handwritten mark

Specification of Network Bullet Camera		Comply (Y/N)
Camera		
Image Sensor	1/2.8" CMOS	
Min. Illumination	Color: 0.01 Lux, 0 Lux with IR	
Day & Night	IR Cut Filter	
Digital Noise Reduction	3D DNR	
WDR	should have WDR feature	
3-Axis Adjustment	Pan: 0° to 300°, tilt: 0° to 75°, rotate: 0° to 300°	
IR		
IR Range	min. 40 m	
Compression Standard		
Video Compression	Main stream: H.265/H.264 Sub-stream: H.265/H.264/MJPEG	
H.264 Type	Main Profile/High Profile	
Smart Feature-set		
Face Detection	Yes	
Region of Interest	1 fixed region for main stream and sub-stream	
Image		
Main Stream	50Hz:25fps (2560 × 1440, 1920 × 1080) 60Hz: 30fps (2560 × 1440, 1920 × 1080)	
Image Enhancement	BLC/3D DNR/HLC	
Image Setting	Rotate mode, saturation, brightness, contrast, sharpness adjustable by client software or web browser	
Day/Night Switch	Day/Night/Auto	
Network		
Network Storage	Support Micro SD card (128G), local storage and NAS (NFS,SMB/CIFS)	
Alarm Trigger	Motion detection, network disconnected, IP address conflict, HDD full, HDD error, etc.	
Protocols	TCP/IP, ICMP, HTTP, HTTPS, FTP, DHCP, DNS, DDNS, RTP, PPPoE, NTP, SMTP, SNMP, IGMP, 802.1X, QoS, IPv6	
API	ONVIF	
Simultaneous Live View	6 or more channels	

User/Host	4 or more users levels: Administrator and Operator	
Web Browser	Should support latest web browsers	
Interface		
Communication Interface	1 RJ45 10M/100M self-adaptive Ethernet port	
On-board storage	Built-in Micro SD/SDHC/SDXC slot, 128 GB or higher	
General		
Operating Conditions	0 °C to 50°C	
Power	12 VDC and PoE	
Protection Level	IP67	

Handwritten mark

Specification of PTZ Dome Camera		comply(Y/N)
Camera Module		
Image Sensor	progressive scan CMOS	
Min. Illumination	Color: 0.05 Lux B/W: 0 Lux with IR	
White Balance	Auto/Manual/ATW (Auto-tracking White Balance)/Indoor/Outdoor	
Gain	Auto/Manual	
Shutter speed	1/1 s to 1/30,000 s	
Day & Night	IR Cut Filter	
Privacy Mask	programmable privacy masks	
Focus Mode	Auto/Semi-automatic/Manual	
WDR	Should have WDR feature	
Lens		
Focal Length	4.8 mm to 120 mm, 25x optical zoom	
IR		
IR Distance	80 m	
PTZ		
Movement Range (Pan)	360° endless	
Movement Range (Tilt)	From 0° to 90° (auto-flip)	
Power-off Memory	must have power-off memory	
PTZ Position Display	must have PTZ position display	
Compression Standard		
Video Compression	Main Stream: H.265+/H.265/H.264+/H.264 Sub-stream: H.265/H.264/MJPEG	
Image		
Resolution	2560 x 1440 (or better)	
Image Enhancement	HLC/BLC/3D DNR	
Network		
Network Storage	Built-in memory card slot, support Micro SD/SDHC/SDXC, 128 GB or higher; NAS (NFS, SMB/ CIFS)	
Protocols	IPv4/IPv6, HTTP, HTTPS, 802.1x, Qos, FTP, SMTP,SNMP, DNS, DDNS, NTP, TCP/IP, UDP, IGMP, ICMP, DHCP, PPPoE	
Simultaneous Live View	8 or more channels	
User/Host	4 or more users levels: Administrator and Operator	
Web Browser	Should support latest versions of popular browsers	
Interface		
Network Interface	1 RJ45 10 M/100 M Ethernet, Hi-PoE	
General		
Protection Level	IP66 Standard, Surge Protection and Voltage Transient Protection	
Working Temperature	0°C to 50°C	

Form of Bid-Securing Declaration

Bid No.:

To

The Director,
Wadia Institute of Himalayan Geology,
Dehradun

We, the undersigned, declare that:

We understand that, according to your conditions, bids must be supported by a Bid-Securing Declaration.

We accept that we will automatically be suspended from being eligible for bidding in any contract with the Wadia institute of Himalayan Geology, if we are in breach of our obligation(s) under the bid conditions, because we:

- a) have withdrawn our Bid during the period of one month bid validity specified in the letter of bid: or
- b) having been notified of the acceptance of our bid by Wadia Institute of Himalayan Geology the during the period of bid validity, (i) fail or refuse to execute the contract, if required, or
(ii) fail or refuse to furnish the Security deposit, in accordance with tender condition

We understand this Bid-Securing Declaration shall expire if we are not the successful Bidder, upon the earlier of (i) our receipt of your notification to us of the name of the successful Bidder: or
(ii) Twenty-eight days after the expiration of our bid.

Signed:

Name:

Duly authorized to sign the bid for and on behalf of:

Date: